

# Advances in Recommendation Systems: From Traditional Approaches to Future Trends

Pei Wang<sup>1,\*</sup>

<sup>1</sup>Kunming University of Science and Technology  
Corresponding author: Pei Wang.  
E-mail: peiwang0518@163.com.

<https://doi.org/10.63619/ijais.v1i1.007>

This work is licensed under a Creative Commons Attribution 4.0 International License (CC BY 4.0). Published by the International Journal of Artificial Intelligence for Science (IJAI4S).

Manuscript received January 2, 2025; revised February 7, 2025. published March 17, 2025.

**Abstract:** Recommendation systems have become a crucial component of digital platforms, enhancing user experience by providing personalized content suggestions. Over the years, these systems have evolved from traditional rule-based and collaborative filtering methods to sophisticated deep learning-driven and reinforcement learning-based approaches. This paper provides a comprehensive review of the advancements in recommendation systems, highlighting their evolution, current challenges, and future trends. We discuss key issues such as data sparsity, scalability, privacy concerns, and ethical considerations. Furthermore, we explore emerging trends, including large-scale pretrained models, reinforcement learning in multi-agent environments, edge AI for real-time personalization, federated learning for privacy-preserving recommendations, cross-domain and multimodal recommendations, and AI-generated content (AIGC). The paper aims to provide insights into the technological advancements and research directions that will shape the next generation of recommendation systems.

**Keywords:** Recommendation Systems, Personalization, Deep Learning, Reinforcement Learning, Federated Learning, Pretrained Models, Cross-Domain Recommendation

## 1. Introduction

In the era of information overload, recommendation systems play a critical role in filtering vast amounts of data and delivering personalized content to users. These systems have been widely adopted in various domains, including e-commerce, online streaming services, social networking, healthcare, and digital advertising [1], [2]. By analyzing user preferences and behavior, recommendation systems help to enhance user engagement, satisfaction, and business revenue. The ability to present users with personalized and relevant content has become a crucial differentiator for companies seeking to improve customer retention and interaction.

The fundamental objective of recommendation systems is to predict user interests and provide relevant suggestions based on historical data and behavioral patterns. Over the years, various methodologies have been developed to improve recommendation quality. Traditional recommendation techniques primarily rely on two main approaches: content-based filtering and collaborative filtering. Content-based methods analyze the attributes of items and recommend those similar to what a user has previously interacted with, while collaborative filtering leverages user-item interaction data to identify similar users or items. These approaches, while effective in many scenarios, suffer from limitations such as data sparsity, cold-start problems, and scalability concerns [3], [4].

With the rapid advancements in machine learning and deep learning, recommendation systems have

evolved beyond traditional methods. Modern recommendation systems leverage deep neural networks, reinforcement learning, and graph-based techniques to improve personalization, adaptability, and prediction accuracy. Neural collaborative filtering (NCF), recurrent neural networks (RNNs), transformers, and graph neural networks (GNNs) have significantly contributed to the progress of recommendation models, allowing them to capture complex user preferences and dynamic interactions. Additionally, reinforcement learning-based recommendation strategies enable systems to optimize long-term user engagement, addressing challenges posed by static recommendation models.

This paper aims to provide a comprehensive overview of recommendation system methodologies, covering both foundational and state-of-the-art techniques. The key contributions of this work include:

- A detailed discussion on the evolution of recommendation systems, including traditional filtering-based methods and their limitations.
- An exploration of recent advancements, including deep learning, reinforcement learning, and graph-based approaches in recommendation systems.
- An analysis of major challenges such as data sparsity, explainability, privacy concerns, and algorithmic fairness.
- Insights into emerging trends and future research directions in the field of recommendation systems.

The rest of the paper is structured as follows: Section 2 provides a historical perspective on recommendation systems and their evolution. Section 3 discusses core methodologies, from traditional approaches to AI-driven techniques. Section 4 presents real-world applications of recommendation systems across various domains. Section 5 outlines current challenges and open research questions, while Section 6 explores future trends and potential advancements. Finally, Section 7 concludes the paper with key takeaways and future research directions.

## 2. Evolution of Recommendation Systems

Recommendation systems have evolved significantly over the past decades, transitioning from simple rule-based approaches to sophisticated deep learning and reinforcement learning methods. This section explores the major milestones in the development of recommendation systems.

### 2.1. Early Rule-Based Systems

The earliest recommendation systems were rule-based, relying on manually defined heuristics to suggest items to users. These systems were commonly used in expert systems and early e-commerce platforms, where recommendations were generated based on pre-defined rules set by domain experts. While effective in controlled environments, these systems suffered from scalability issues and lacked adaptability to dynamic user preferences [1].

### 2.2. Traditional Methods

#### 2.2.1. Content-Based Recommendation

Content-based recommendation methods rely on item attributes and user preferences to generate recommendations. These systems use techniques such as TF-IDF, cosine similarity, and latent semantic analysis to determine item similarities. While effective in providing personalized recommendations, content-based systems struggle with the cold-start problem, as they require sufficient historical data for meaningful recommendations [2].

#### 2.2.2. Collaborative Filtering

Collaborative filtering (CF) leverages user-item interaction data to make recommendations. It can be divided into two main types:

- User-based CF: Identifies users with similar preferences and recommends items liked by similar users.
- Item-based CF: Identifies items similar to those previously interacted with by a user.

Matrix factorization techniques, such as singular value decomposition (SVD) and non-negative matrix

factorization (NMF), were later introduced to improve the efficiency of CF by reducing data dimensionality [3].

### 2.2.3. Hybrid Recommendation

To overcome the limitations of individual recommendation methods, hybrid recommendation systems combine multiple approaches, such as mixing content-based filtering with collaborative filtering. This strategy improves accuracy, reduces cold-start issues, and enhances diversity in recommendations [4].

### 2.3. Machine Learning-Based Recommendation

With the rise of machine learning, recommendation systems began incorporating predictive models to enhance recommendation quality. Popular methods include:

- **Matrix Factorization (MF):** Methods such as SVD and Alternating Least Squares (ALS) decompose the user-item interaction matrix to reveal latent patterns.
- **Supervised Learning Models:** Logistic regression, decision trees, and gradient boosting methods (e.g., XGBoost) are widely used for ranking and classification tasks in recommendation systems.

Machine learning-based methods significantly improved recommendation accuracy but still faced challenges such as feature engineering complexity and lack of adaptability to dynamic user behavior [5].

### 2.4. Deep Learning-Based Approaches

The introduction of deep learning revolutionized recommendation systems by enabling more sophisticated feature extraction and representation learning. Major deep learning-based approaches include:

- **Neural Collaborative Filtering (NCF):** Replaces traditional matrix factorization with multi-layer neural networks to model user-item interactions [5].
- **Sequence-Based Models:** Recurrent neural networks (RNNs), long short-term memory (LSTM) networks, and Transformer-based models (e.g., BERT4Rec) capture sequential user behaviors for more dynamic recommendations [6].
- **Self-Supervised Learning:** Recent advances leverage contrastive learning and pretext tasks to improve recommendation accuracy without requiring extensive labeled data.

Deep learning-based methods have demonstrated significant improvements in personalization and scalability but require substantial computational resources.

### 2.5. Reinforcement Learning in Recommendation

Reinforcement learning (RL) has emerged as a promising paradigm for recommendation systems, particularly in optimizing long-term user engagement. Key applications include:

- **Long-Term User Interest Modeling:** RL-based systems dynamically adapt recommendations based on long-term reward optimization rather than immediate feedback [7].
- **Interactive Recommendation:** By modeling user-system interactions as a Markov Decision Process (MDP), RL-based systems can explore new recommendations while balancing exploitation of known preferences.

While RL-based recommendation systems are still evolving, they offer a strong potential for enhancing engagement and personalization.

## 3. Recent Advances in Recommendation Systems

Recent advancements in recommendation systems have leveraged new paradigms and emerging technologies to improve personalization, scalability, and fairness. This section explores the most notable developments in modern recommendation techniques.

### 3.1. Graph Neural Networks (GNN) for Recommendation

Graph Neural Networks (GNNs) have become a powerful tool in recommendation systems due to their ability to model complex user-item interactions in graph structures. Unlike traditional matrix factorization or deep learning models, GNNs can capture high-order connectivity and propagate user preferences through a network. Popular architectures such as Graph Convolutional Networks (GCNs), Graph Attention Networks (GATs), and GraphSAGE have been widely adopted to enhance recommendation accuracy [8].

GNNs effectively model social networks, product co-purchasing relationships, and content recommendation graphs, improving the ability to recommend novel and diverse items. However, challenges remain in optimizing graph-based recommendations for large-scale applications due to computational costs and dynamic updates.

### 3.2. Multimodal Recommendation

Traditional recommendation systems rely primarily on structured user-item interaction data. However, multimodal recommendation systems integrate multiple data modalities, such as:

- **Text:** Product descriptions, reviews, and metadata.
- **Images:** Visual content from e-commerce platforms, social media, and streaming services.
- **Audio:** Speech or music preferences in music streaming services.
- **Video:** Personalized video recommendations based on user engagement.

By fusing multimodal data, these systems improve personalization and recommendation quality [4]. Transformer-based models, such as CLIP and multimodal pre-trained networks, have further enhanced the effectiveness of these systems.

### 3.3. Conversational and Explainable Recommendation

Recent research has focused on making recommendation systems more interactive and interpretable. Conversational recommender systems (CRS) leverage natural language processing (NLP) to refine user preferences through dynamic dialogue. By asking clarifying questions, CRS can improve recommendation precision and overcome the cold-start problem.

Explainable recommendation aims to provide users with understandable justifications for recommendations, increasing trust and transparency. Methods such as attention mechanisms, interpretable embeddings, and counterfactual explanations are being incorporated into modern systems [4].

### 3.4. Fairness, Privacy, and Bias Mitigation

As recommendation systems become deeply integrated into digital platforms, concerns over fairness, privacy, and bias mitigation have gained importance. Challenges include:

- **Fairness:** Ensuring diverse user groups receive equitable recommendations.
- **Privacy:** Protecting user data through differential privacy and federated learning.
- **Bias Mitigation:** Addressing data and algorithmic biases that lead to filter bubbles and echo chambers.

Techniques such as adversarial debiasing, fairness-aware ranking, and federated learning have been introduced to tackle these challenges [7].

### 3.5. Generative AI in Recommendation

Generative AI techniques have gained traction in recommendation systems by generating new data representations, enhancing personalization, and improving cold-start recommendations. Key methods include:

- **Generative Adversarial Networks (GANs):** Used for data augmentation and content generation.
- **Variational Autoencoders (VAEs):** Effective for collaborative filtering and latent space modeling.
- **Large Language Models (LLMs):** Models like GPT-4 and ChatGPT enhance conversational recommendations and contextual personalization.

GANs and VAEs have demonstrated improvements in generating personalized recommendations with limited historical data, while LLMs facilitate human-like interactions for contextual suggestions [6].

## 4. Applications of Recommendation Systems

Recommendation systems have been widely adopted across various industries, enhancing user experiences, increasing engagement, and optimizing content delivery. Below, we discuss key application domains where recommendation systems play a crucial role.

### 4.1. E-commerce (Amazon, Alibaba)

E-commerce platforms heavily rely on recommendation systems to personalize shopping experiences, increase conversion rates, and drive customer retention. Methods such as collaborative filtering, deep learning-based ranking models, and knowledge graphs are widely used to suggest relevant products based on user behavior, purchase history, and browsing patterns [9].

Techniques such as session-based recommendations (e.g., GRU4Rec) and reinforcement learning optimize real-time product ranking, ensuring dynamic adaptation to user preferences. Alibaba and Amazon have extensively leveraged deep learning and multi-modal fusion to provide richer recommendations [10].

### 4.2. Streaming Platforms (Netflix, YouTube, TikTok)

Video streaming services utilize recommendation algorithms to enhance content discovery, maximize watch time, and improve user engagement. Netflix employs personalized ranking models and reinforcement learning-based bandit algorithms to dynamically recommend movies and TV shows [11].

YouTube and TikTok employ deep sequential models to capture user interaction sequences, leveraging transformer-based architectures to predict watch preferences. Content-based embeddings combined with user interaction modeling enable highly personalized video suggestions [12].

### 4.3. Music Recommendation (Spotify, Apple Music)

Music streaming platforms, such as Spotify and Apple Music, use recommendation systems to personalize playlists, suggest new artists, and enhance music discovery. Collaborative filtering, sequence-aware deep learning models, and audio feature-based embeddings are used to generate contextually relevant music recommendations [13].

Spotify's "Discover Weekly" feature integrates user listening history with deep learning models to provide personalized song recommendations. Techniques such as graph-based embeddings and session-based learning have further improved the efficiency of music recommendation [14].

### 4.4. News Recommendation (Google News, Flipboard, Toutiao)

News platforms leverage recommendation systems to filter vast amounts of content and provide users with personalized news articles. Methods such as deep neural networks (DNNs), reinforcement learning, and knowledge-aware models help optimize news ranking and engagement [15].

Toutiao, a leading AI-driven news aggregator, uses multi-interest network models and deep reinforcement learning to enhance recommendation diversity and reduce filter bubbles. Google News relies on user behavior modeling and topic-based embeddings to dynamically rank news articles [16].

### 4.5. Social Media (Facebook, Instagram, Twitter, Weibo)

Social media platforms rely on recommendation systems to personalize user feeds, suggest connections, and promote engagement. Graph-based neural networks (GNNs), recurrent neural networks (RNNs), and transformer-based models are used to optimize content ranking [17].

Facebook and Instagram use ranking models driven by engagement prediction and reinforcement learning, while Twitter and Weibo employ hashtag-based clustering and temporal sequence modeling for trending content discovery [18].

### 4.6. Healthcare & Personalized Medicine

Recommendation systems in healthcare assist in personalized treatment suggestions, drug discovery, and medical diagnosis. AI-driven models use electronic health records (EHR), medical imaging, and genetic information to provide recommendations [19].

Personalized medicine applications leverage graph-based and transformer-based deep learning techniques to recommend treatment plans based on patient history and biomedical research databases. AI-powered healthcare chatbots also integrate recommendation models for symptom assessment and triage [20].

#### *4.7. Education & Learning Platforms*

E-learning platforms such as Coursera, Udemy, and edX use recommendation systems to personalize course recommendations and optimize learning paths. Graph-based algorithms, knowledge tracing models, and Bayesian networks enable adaptive learning experiences [21].

Recommendation systems help suggest study materials, quizzes, and related content based on student engagement, performance, and knowledge level. Reinforcement learning-based adaptive tutors further enhance personalized learning experiences [22].

### **5. Challenges and Open Issues**

Despite the advancements in recommendation systems, several key challenges remain unresolved. This section outlines major issues that affect the performance, fairness, and interpretability of recommendation models.

#### *5.1. Data Sparsity & Cold Start Problem*

Recommendation systems rely on large-scale user-item interaction data for effective recommendations. However, in many cases, datasets are sparse, with users interacting with only a small fraction of available items [23]. This leads to challenges in learning meaningful user preferences. Additionally, cold-start problems arise when new users or new items are introduced, as there is little to no historical interaction data available to inform recommendations [24].

To address these issues, techniques such as matrix factorization with regularization, hybrid models combining collaborative and content-based filtering, and transfer learning approaches have been explored. More recently, deep learning-based approaches, such as graph neural networks (GNNs) and self-supervised learning, have shown promise in mitigating data sparsity problems [25].

#### *5.2. Scalability & Computational Efficiency*

Modern recommendation systems must scale to billions of users and items, requiring efficient algorithms and infrastructure. Traditional collaborative filtering techniques struggle with large-scale data due to high computational complexity [26]. Deep learning models, while more effective, introduce additional computational overhead, making real-time inference challenging.

Distributed computing frameworks, such as Apache Spark and parameter-server architectures, have been widely used to improve scalability. Efficient approximate nearest neighbor (ANN) search methods, such as hierarchical navigable small world (HNSW) graphs and locality-sensitive hashing (LSH), help accelerate large-scale recommendation processes [27].

#### *5.3. User Interest Drift*

User preferences are dynamic and can change over time due to evolving interests, seasonal trends, or external influences [28]. Many traditional recommendation models assume static user preferences, leading to outdated or irrelevant recommendations.

Sequential and session-based recommendation models using recurrent neural networks (RNNs), long short-term memory (LSTM) networks, and transformer architectures help capture temporal user interest shifts. Reinforcement learning-based approaches further improve adaptability by optimizing recommendations based on long-term engagement rewards [29].

#### *5.4. Privacy & Security Concerns*

Privacy concerns in recommendation systems stem from the extensive use of personal user data. Many systems require sensitive information such as browsing history, location, and social connections, raising ethical and legal challenges [30].

Privacy-preserving recommendation techniques include differential privacy, federated learning, and homomorphic encryption. Federated learning, in particular, has gained traction by enabling model training across decentralized data sources without exposing individual user data [31].

### *5.5. Ethical Issues & Fairness*

Recommendation systems must ensure fairness and avoid biases that can reinforce societal inequalities. Algorithmic bias can arise due to skewed training data, leading to unfair treatment of certain user groups [32]. Filter bubbles and echo chambers further exacerbate the problem by restricting users to limited perspectives [33].

Recent efforts in fairness-aware recommendation models include adversarial debiasing, counterfactual fairness methods, and reinforcement learning-based exploration strategies to ensure balanced recommendations [34].

### *5.6. Explainability & Transparency*

Users and stakeholders increasingly demand interpretable and transparent recommendation systems. Many deep learning models act as "black boxes," making it difficult to understand why a particular recommendation was made [35].

Explainability techniques such as attention mechanisms, feature attribution methods (e.g., SHAP, LIME), and knowledge graph-based explanations are being developed to enhance transparency. Improving explainability is essential for increasing user trust and regulatory compliance in industries such as healthcare and finance [36].

## **6. Future Trends in Recommendation Systems**

As recommendation systems continue to evolve, several key trends are shaping the future of this domain. These advancements focus on improving personalization, privacy, efficiency, and adaptability.

### *6.1. Large Pretrained Models for Personalized Recommendations*

Large-scale pretrained models, such as transformer-based architectures (e.g., BERT4Rec, GPT-4), have significantly enhanced recommendation performance by capturing complex user-item relationships [6]. These models leverage vast amounts of pretraining data to generate highly personalized recommendations with minimal fine-tuning [37].

The integration of large language models (LLMs) in recommendation systems allows for enhanced contextual understanding and conversational recommendations. However, challenges such as high computational costs and inference latency remain open research problems [38].

### *6.2. Reinforcement Learning & Multi-Agent Systems*

Reinforcement learning (RL) has gained traction in optimizing long-term user engagement. Traditional recommendation models often focus on short-term interactions, whereas RL-based methods consider long-term rewards and adapt recommendations accordingly [29].

Multi-agent systems extend RL by incorporating multiple interacting recommendation agents that collaboratively optimize diverse objectives, such as engagement, diversity, and fairness [39]. This paradigm is particularly useful in large-scale content platforms where multiple recommendation engines operate simultaneously.

### *6.3. Edge AI & Real-Time Recommendation*

With the rise of mobile computing and IoT devices, edge AI has emerged as a promising approach for real-time recommendation systems. Deploying lightweight recommendation models on edge devices reduces latency and enhances privacy by minimizing data transmission to centralized servers [40].

Techniques such as model quantization, knowledge distillation, and efficient transformer architectures enable real-time recommendations on resource-constrained devices. This shift allows recommendation systems to deliver personalized content with lower response times, improving user experience in mobile and embedded environments [41].

#### *6.4. Federated Learning for Privacy-Preserving Recommendation*

Federated learning (FL) has revolutionized privacy-preserving recommendation by allowing models to be trained across decentralized user devices without exposing raw data [31]. This approach mitigates privacy risks while maintaining high recommendation accuracy.

Challenges such as communication overhead, model heterogeneity, and security vulnerabilities in federated learning are active research areas. Solutions including differential privacy techniques and secure multi-party computation are being explored to enhance privacy protection in FL-based recommendation systems [42].

#### *6.5. Cross-Domain and Cross-Modal Recommendation*

Cross-domain recommendation aims to improve recommendations by leveraging knowledge from multiple domains, such as transferring user preferences between e-commerce and streaming platforms [43]. These methods enhance recommendation diversity and alleviate cold-start issues.

Cross-modal recommendation integrates information from multiple modalities, including text, images, audio, and video. Advances in multimodal deep learning, such as vision-language models and contrastive learning techniques, have improved the performance of cross-modal recommendation systems [38].

#### *6.6. AIGC-Driven Personalized Content Recommendation*

Artificial Intelligence-Generated Content (AIGC) is transforming personalized recommendations by generating customized media, text, and interactive experiences tailored to user preferences [44]. Platforms like TikTok and YouTube leverage generative AI to create personalized video summaries and interactive content.

Techniques such as generative adversarial networks (GANs), diffusion models, and variational autoencoders (VAEs) enable dynamic content adaptation based on user feedback [45]. The integration of AIGC with recommendation systems is expected to redefine content discovery and engagement in the coming years.

## **7. Conclusion**

Recommendation systems have evolved significantly over the past decades, transitioning from traditional rule-based and collaborative filtering methods to modern deep learning-driven and reinforcement learning-based approaches. With the continuous development of AI, these systems have become increasingly sophisticated, enabling highly personalized, real-time, and context-aware recommendations across various domains.

Despite these advancements, several challenges remain, including data sparsity, computational scalability, user interest drift, and fairness concerns. Addressing these issues requires a combination of novel machine learning techniques, improved privacy-preserving mechanisms, and enhanced explainability to increase user trust and engagement.

Looking forward, the future of recommendation systems will be shaped by emerging technologies such as large-scale pretrained models, reinforcement learning in multi-agent environments, and edge computing for real-time personalization. Federated learning will play a crucial role in privacy-preserving recommendations, while cross-domain and multimodal approaches will further enrich user experiences. Additionally, AI-generated content (AIGC) is expected to redefine content discovery, making recommendations more interactive and dynamic.

As recommendation systems continue to integrate with broader AI innovations, researchers and practitioners must balance technological advancements with ethical considerations, ensuring that these systems remain transparent, fair, and beneficial to users. Future research should focus on optimizing efficiency, improving interpretability, and exploring new paradigms for adaptive and human-centered recommendation models.



## References

- [1] F. Ricci, L. Rokach, and B. Shapira, "Recommender systems: Introduction and challenges," *Springer US*, 2015.
- [2] Adomavicius, Gediminas, Tuzhilin, and Alexander, "Toward the next generation of recommender systems: A survey of the state-of-the-art and possible extensions," *IEEE Transactions on Knowledge & Data Engineering*, 2005.
- [3] Mao, Mingsong, Zhang, Guangquan, Wu, Dianshuang, Wang, Wei, Lu, and Jie, "Recommender system application developments: A survey," *Decision Support Systems*, 2015.
- [4] S. Zhang, L. Yao, A. Sun, and Y. Tay, "Deep learning based recommender system: A survey and new perspectives," *ACM Computing Surveys*, 2017.
- [5] X. He, L. Liao, H. Zhang, L. Nie, X. Hu, and T.-S. Chua, "Neural collaborative filtering," *Proceedings of the 26th international conference on world wide web*, pp. 173–182, 2017.
- [6] F. Sun, J. Liu, J. Wu, C. Pei, X. Lin, W. Ou, and P. Jiang, "Bert4rec: Sequential recommendation with bidirectional encoder representations from transformer," 2019.
- [7] M. Chen, A. Beutel, P. Covington, S. Jain, F. Belletti, and E. H. Chi, "Top-k off-policy correction for a reinforce recommender system," in *Web Search and Data Mining*, 2019.
- [8] R. Ying, R. He, K. Chen, P. Eksombatchai, W. L. Hamilton, and J. Leskovec, "Graph convolutional neural networks for web-scale recommender systems," *ACM*, 2018.
- [9] Linden, G., Smith, B., York, and J., "Amazon.com recommendations: item-to-item collaborative filtering," *Internet Computing, IEEE*, vol. 7, no. 1, pp. 76–80, 2003.
- [10] G. Zhou, C. Song, X. Zhu, Y. Fan, H. Zhu, X. Ma, Y. Yan, J. Jin, H. Li, and K. Gai, "Deep interest network for click-through rate prediction," 2017.
- [11] Carlos, A., Gomez-Uribe, Neil, and Hunt, "The netflix recommender system: Algorithms, business value, and innovation," *Acm Transactions on Management Information Systems*, 2016.
- [12] P. Covington, J. Adams, and E. Sargin, "Deep neural networks for youtube recommendations," in *Acm Conference on Recommender Systems*, 2016, pp. 191–198.
- [13] M. Schedl, H. Zamani, C. W. Chen, Y. Deldjoo, and M. Elahi, "Current challenges and visions in music recommender systems research," *International Journal of Multimedia Information Retrieval*, vol. 7, no. 2, pp. 1–22, 2017.
- [14] M. Lu, D. Pengcheng, and S. Yanfeng, "Digital music recommendation technology for music teaching based on deep learning," *Wireless Communications & Mobile Computing*, 2022.
- [15] J. Kruse, K. Lindschow, S. Kalloori, M. Polignano, C. Pomo, A. Srivastava, A. Uppal, M. R. Andersen, and J. Frellsen, "Eb-nerd: A large-scale dataset for news recommendation," 2024.
- [16] J. Liu, P. Dolan, and E. R. Pedersen, "Personalized news recommendation based on click behavior," in *International Conference on Intelligent User Interfaces*, 2010.
- [17] J. Hu, B. Hooi, S. Qian, Q. Fang, and C. Xu, "Mgdcf: Distance learning via markov graph diffusion for neural collaborative filtering," *IEEE Transactions on Automatic Control*, vol. 36, no. 7, p. 16, 2024.
- [18] N. Vahutre, S. S. Adagale, and P. A. Kadam, "A comprehensive survey of content-based music recommendation techniques," in *International Conference on Business Data Analytics*, 2025.
- [19] A. S. John, M. U. Khalid, C. Masino, M. Noroozi, A. Alseidi, D. A. Hashimoto, M. Altieri, F. Serrot, M. Kersten-Oertel, and A. Madani, "Correction: Lapbot-safe chole: validation of an artificial intelligence-powered mobile game app to teach safe cholecystectomy," *Surgical Endoscopy*, vol. 38, no. 11, pp. 6981–6981, 2024.
- [20] Andre, Esteva, Alexandre, Robicquet, Bharath, Ramsundar, Volodymyr, Kuleshov, Mark, and DePristo, "A guide to deep learning in healthcare," *Nature Medicine*, 2019.
- [21] Y. Zhang and X. Chen, "Explainable recommendation: A survey and new perspectives," 2018.
- [22] M. Khajaj, R. V. Lindsey, and M. C. Mozer, "How deep is knowledge tracing?" 2016.
- [23] A. I. Schein, A. Popescul, L. H. Ungar, and D. M. Pennock, "Methods and metrics for cold-start recommendations," in *SIGIR 2002: Proceedings of the 25th Annual International ACM SIGIR Conference on Research and Development in Information Retrieval, August 11-15, 2002, Tampere, Finland*, 2002.
- [24] J. Bobadilla, F. Ortega, A. Hernando, and J. Bernal, "A collaborative filtering approach to mitigate the new user cold start problem," *Knowledge-Based Systems*, vol. 26, pp. 225–238, 2012.
- [25] Z. Huang, W. Chung, T. H. Ong, and H. Chen, "A graph-based recommender system for digital library," *ACM*, 2002.
- [26] B. Sarwar, G. Karypis, J. Konstan, and J. Riedl, "Incremental singular value decomposition algorithms for highly scalable recommender systems," 2002.
- [27] J. Zhao, J. P. Both, L. M. Rodriguez-R, and K. T. Konstantinidis, "Gsearch: ultra-fast and scalable genome search by combining k-mer hashing with hierarchical navigable small world graphs," *Nucleic Acids Research*, no. 16, p. 52, 2024.
- [28] L. V. Tran, Y. Tay, S. Zhang, G. Cong, and X. Li, "Hyperml: A boosting metric learning approach in hyperbolic space for recommender systems," in *WSDM '20: The Thirteenth ACM International Conference on Web Search and Data Mining*, 2020.
- [29] S. Deepa, M. S. Arunkumar, T. Kanimozhi, B. Eswaran, V. Duraivelu, and M. Sweatha, "Recommendation of personalized learning path in smart e-learning platform using reinforcement learning algorithms," in *International Conference on Inventive Communication and Computational Technologies*, 2024.
- [30] R. Shokri, M. Stronati, C. Song, and V. Shmatikov, "Membership inference attacks against machine learning models," *IEEE*, 2017.
- [31] C. Tian, Y. Xie, X. Chen, Y. Li, and X. Zhao, "Privacy-preserving cross-domain recommendation with federated graph learning," *ACM Transactions on Information Systems*, vol. 42, no. 5, p. 29, 2024.
- [32] N. Mehrabi, F. Morstatter, N. Saxena, K. Lerman, and A. Galstyan, "A survey on bias and fairness in machine learning," *ACM Computing Surveys*, vol. 54, no. 6, pp. 1–35, 2021.
- [33] T. T. Nguyen, P. M. Hui, F. M. Harper, L. Terveen, and J. A. Konstan, "Exploring the filter bubble: the effect of using recommender systems on content diversity," 2014.
- [34] M. Bilal Zafar, I. Valera, M. Gomez Rodriguez, and K. P. Gummadi, "Fairness constraints: Mechanisms for fair classification," *arXiv*, 2015.

- [35] Y. Zhang and X. Chen, "Explainable recommendation: A survey and new perspectives," 2018.
- [36] M. Du, N. Liu, and X. Hu, "Techniques for interpretable machine learning," 2018.
- [37] G. Xu and C. U. I. Wong, "Deep learning-based educational image content understanding and personalized learning path recommendation," *Traitement du Signal*, vol. 41, no. 1, 2024.
- [38] A. Radford, J. W. Kim, C. Hallacy, A. Ramesh, G. Goh, S. Agarwal, G. Sastry, A. Askell, P. Mishkin, and J. Clark, "Learning transferable visual models from natural language supervision," 2021.
- [39] GiannikisStelios, FrasinCarFlavius, and BoekestijnDavid, "Reinforcement learning for addressing the cold-user problem in recommender systems," 2024.
- [40] Q. El Maazouzi, A. Retbi, and S. Bennani, "Optimizing recommendation systems ine-learning: Synergistic integration oflang chain, gpt models, andretrieval augmented generation (rag)," in *International Conference on Smart Applications and Data Analysis*, 2024.
- [41] M. M. Alam and M. Ahmed, "Deep learning-based recommendation systems: Review and critical analysis," in *International Conference on Data Analytics & Management*, 2024.
- [42] F. Piccialli, A. Guzzo, and D. Camacho, "Guest editorial for the special issue on federated learning on the edge: Challenges and future directions," *Future Generation Computer Systems*, vol. 163, 2025.
- [43] T. F. Boka, Z. Niu, and R. B. Neupane, "A survey of sequential recommendation systems: Techniques, evaluation, and future directions," *Information Systems*, vol. 125, no. 000, p. 12, 2024.
- [44] Y. Zhou, S. Dai, L. Pang, G. Wang, Z. Dong, J. Xu, and J. R. Wen, "Source echo chamber: Exploring the escalation of source bias in user, data, and recommender system feedback loop," 2024.
- [45] H. Yang, W. Han, Y. Zhou, and J. Shen, "Dc-controlnet: Decoupling inter- and intra-element conditions in image generation with diffusion models," 2025.

## Biography

**Pei Wang** Pei Wang received the B.S. degree in 2014 from the Jianghuai college, Anhui University, Hefei, China, the M.S. degree in 2018 from Yunnan Normal University, Kunming, China, the Ph.D. degree in 2024 from Yunnan University, Kunming, China. He is currently with the Faculty of Information Engineering and Automation at Kunming University of Science and Technology. His current research interests include transfer learning and large-scale data mining.